

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic **No Change Service!**

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : edisonite® classic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Cleaning agent

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Supplier : Merz Dental GmbH
Kieferweg 1

24231 Lütjenburg
Germany
Telephone: +49 (0)4381-403-0
Telefax: +49 (0)4381-403-100
E-Mail: info@merz-dental.de

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

E-mail address of person
responsible for the
SDS/Contact person : Abteilung Qualitätssicherung
Dipl. Chem. Dr. Thomas Panther
Tel. +49-(0)4381-403-448
thomas.panther@merz-dental.de

1.4 Emergency telephone number

Emergency telephone num-
ber : UK Poisons Emergency number: 0870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Skin irritation, Category 2

H315: Causes skin irritation.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Serious eye damage, Category 1

H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements :
Prevention:
P261 Avoid breathing dust.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

trisodium orthophosphate
tetrasodium pyrophosphate
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture with the following substances and non dangerous additives.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
trisodium orthophosphate	7601-54-9 231-509-8 - - - 01-2119489800-32-XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 30 - < 50
tetrasodium pyrophosphate	7722-88-5 231-767-1 - - - 01-2119489794-17-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 10 - < 20
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8 287-809-4 - - - 01-2119489463-28-XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.
If symptoms persist, call a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
Clean mouth with water and drink afterwards plenty of water.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder
Foam
Water spray jet
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Dust can form an explosive mixture in air.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Do not breathe dust.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Should not be released into the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.

Advice on protection against fire and explosion : No special protective measures against fire required.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic **No Change Service!**

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Hygiene measures : Avoid contact with the skin and the eyes. Do not breathe dust.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Unsuitable materials for containers Aluminium

Further information on storage conditions : Keep away from direct sunlight. Keep away from heat. Recommended storage temperature: 5 - 25°C

Advice on common storage : Keep away from food and drink.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
tetrasodium pyrophosphate	7722-88-5	TWA	5 mg/m ³	GB EH40
Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium sulphate	Workers	Inhalation	Long-term systemic effects	20 mg/m ³
	Workers	Inhalation	Long-term local effects	20 mg/m ³
trisodium orthophosphate	Workers	Inhalation	Long-term exposure, Systemic effects	4.07 mg/m ³
tetrasodium pyrophosphate	Workers	Inhalation	Long-term systemic effects	2.79 mg/m ³
sodium metaphosphate	Workers	Inhalation	Long-term systemic effects	5.289 mg/m ³
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Workers	Dermal	Long-term systemic effects	4060 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	285 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
sodium sulphate	Fresh water	11.09 mg/l
	Marine water	1.109 mg/l
	Sewage treatment plant	800 mg/l

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

	Fresh water sediment	40 mg/kg dry weight (d.w.)
	Marine sediment	4.02 mg/kg dry weight (d.w.)
	Soil	1.54 mg/kg dry weight (d.w.)
tetrasodium pyrophosphate	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	50 mg/l
	Intermittent use/release	0.5 mg/l
sodium metaphosphate	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Sewage treatment plant	100 mg/l
	Intermittent use/release	1 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Fresh water	0.102 mg/l
	Marine water	0.01 mg/l
	Sewage treatment plant	1084 mg/l
	Fresh water sediment	3.58 mg/kg
	Marine sediment	0.358 mg/kg
	Soil	0.654 mg/kg

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
Directive : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Remarks : Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : Breathing apparatus only if aerosol or dust is formed.
Half mask with a particle filter P2 (EN 143)
- Protective measures : Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : Crystalline powder

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Colour	:	green
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	11.8 (20 °C) Concentration: 10 g/l
Decomposition temperature	:	No data available
Melting point/freezing point	:	> 300 °C
Boiling point/boiling range	:	Not applicable
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	No data available
Bulk density	:	950 kg/m ³
Solubility(ies) Water solubility	:	> 100 g/l (20 °C)
Auto-ignition temperature	:	Not applicable
Viscosity Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
 Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

 Flammability (liquids)	:	Does not sustain combustion.
 Metal corrosion rate	:	None reasonably foreseeable.
 Particle size	:	Größenordnung Zucker

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture
Avoid dust formation.
Heat

10.5 Incompatible materials

Materials to avoid : Aluminium
Strong acids

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

trisodium orthophosphate:

Acute oral toxicity : LD50 (Rat): > 2,001 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.84 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: An LC50/ inhalation could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,001 mg/kg

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

tetrasodium pyrophosphate:

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 1,624 mg/kg
Method: OECD Test Guideline 425 |
| Acute inhalation toxicity | : | LC50 (Rat): > 0.58 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity, Expert judgement and weight of evidence determination. |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402 |

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

- | | | |
|---------------------|---|-------------------------|
| Acute oral toxicity | : | LD50 (Rat): 2,000 mg/kg |
|---------------------|---|-------------------------|

Skin corrosion/irritation

Causes skin irritation.

Components:

trisodium orthophosphate:

- | | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | Skin irritation |

tetrasodium pyrophosphate:

- | | | |
|------------|---|--------------------|
| Species | : | Rabbit |
| Assessment | : | No skin irritation |

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

- | | | |
|---------|---|-----------------|
| Species | : | Rabbit |
| Result | : | Skin irritation |

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

trisodium orthophosphate:

- | | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | Eye irritation |

tetrasodium pyrophosphate:

- | | | |
|---------|---|---------------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | Irreversible effects on the eye |

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version Revision Date: Date of last issue: 10.01.2022
05.04 16.09.2022

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

trisodium orthophosphate:

Species : Mouse
Method : QSAR
Result : Did not cause sensitisation on laboratory animals.

tetrasodium pyrophosphate:

Remarks : According to experience not expected

Germ cell mutagenicity

Not classified based on available information.

Components:

trisodium orthophosphate:

Germ cell mutagenicity- Assessment : No data available

tetrasodium pyrophosphate:

Germ cell mutagenicity- Assessment : No data available

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

trisodium orthophosphate:

Carcinogenicity - Assessment : No data available

tetrasodium pyrophosphate:

Carcinogenicity - Assessment : No data available

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

||ment

Reproductive toxicity

Not classified based on available information.

Components:

trisodium orthophosphate:

||Reproductive toxicity - As- : No data available
||essment

tetrasodium pyrophosphate:

||Reproductive toxicity - As- : No data available
||essment

STOT - single exposure

May cause respiratory irritation.

Product:

Remarks : May cause respiratory irritation.

Components:

trisodium orthophosphate:

||Exposure routes : Inhalation
||Target Organs : Respiratory Tract
||Assessment : The substance or mixture is classified as specific target organ
|| toxicant, single exposure, category 3 with respiratory tract
|| irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

trisodium orthophosphate:

||Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data is available on the product itself.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

trisodium orthophosphate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

tetrasodium pyrophosphate:

Toxicity to fish	:	LC0 (Leuciscus idus (Golden orfe)): > 1,500 mg/l Exposure time: 48 h LC50 (Oncorhynchus mykiss (rainbow trout)): 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC: 100 mg/l Exposure time: 96 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 100 mg/l Exposure time: 48 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Toxicity to fish	:	LC50 (Fish): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 4.7 mg/l Exposure time: 48 h

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Toxicity to algae/aquatic plants : EC50 (algae): 20 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (algae): 0.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

12.2 Persistence and degradability

Components:

trisodium orthophosphate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

tetrasodium pyrophosphate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

trisodium orthophosphate:

Bioaccumulation : Remarks: No data available

tetrasodium pyrophosphate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Partition coefficient: n-octanol/water : log Pow: < -2.42

12.4 Mobility in soil

Components:

trisodium orthophosphate:

Mobility : Remarks: No data available

tetrasodium pyrophosphate:

Mobility : Remarks: No data available

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version Revision Date: Date of last issue: 10.01.2022
05.04 16.09.2022

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

tetrasodium pyrophosphate:

|| Assessment : Remarks: Not applicable

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic **No Change Service!**

Version Revision Date: Date of last issue: 10.01.2022
05.04 16.09.2022

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

according to Detergents Regulation EC 648/2004 : 30 % and more: Phosphates
less than 5 %: Anionic surfactants, Non-ionic surfactants

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic *No Change Service!*

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. Sulfuric acid, mono-C12-14-alkyl esters, sodium salts
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



edisonite® classic **No Change Service!**

Version
05.04

Revision Date:
16.09.2022

Date of last issue: 10.01.2022

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT SE 3	H335

Classification procedure:

Calculation method
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.